




# ONDA FIRE TABLE



ON.1.1 PERSPECTIVE VIEW  
SCALE: NA



ON.1.2 PLAN VIEW  
SCALE: 1" = 1' - 3"



ON.1.3 SIDE ELEVATION  
SCALE: 1" = 1' - 3"

|         | ONDA 72    | ONDA 82    | ONDA 92    |
|---------|------------|------------|------------|
| Length  | A - 72"    | A - 82"    | A - 92"    |
| Width   | B - 32"    | B - 32"    | B - 32"    |
| Height  | C - 14"    | C - 14"    | C - 14"    |
| Surface | D - 6 1/2" | D - 6 1/2" | D - 6 1/2" |



**LUMACAST**

3261 National Ave  
San Diego, CA 92113  
t: +1 888 710 1026  
www.lumacast.com

**PROJECT INFORMATION**

PROJECT:  
LUMACAST FIRE TABLE  
ONDA

DESIGNER:  
LUMACAST

**DRAWING INFORMATION**

DRAWING PACKAGE:  
2D SHOP DRAWINGS  
SHEET CONTENTS:  
COVER SHEET

**MORE INFORMATION**




SCAN TO LEARN MORE

AUTHOR      AUTHOR  
EGI          04/23

**ON.1**

SHEET NO

**MINIMUM CLEARANCES TO COMBUSTIBLES**



ON.2.1 SECTION DETAIL  
SCALE: 1" = 0' - 8"

|                          | ONDA 72             | ONDA 82             | ONDA 92             |
|--------------------------|---------------------|---------------------|---------------------|
| <b>Opening at Base</b>   | A - 66 1/2"         | A - 76 1/2"         | A - 86 1/2"         |
| <b>Burner Pan Access</b> | B - 56"             | B - 66"             | B - 76"             |
| <b>Burner Pan Height</b> | C - 8"              | C - 8"              | C - 8"              |
| <b>Length</b>            | D - 72"             | D - 82"             | D - 92"             |
| <b>Burner Options</b>    | E - - -             | E - - -             | E - - -             |
| Stainless Steel Burner   | <b>125,000 BTU</b>  | <b>150,000 BTU</b>  | <b>200,000 BTU</b>  |
| Warming Trands Burner    | <b>210,000 BTU*</b> | <b>270,000 BTU*</b> | <b>320,000 BTU*</b> |
| <b>Crated Dimensions</b> | 76"x36"x24"         | 86"x26"x24"         | 96"x36"x24"         |
| <b>Shipping Weight</b>   | 600 LBS             | 650 LBS             | 700 LBS             |
| <b>Shell Weight</b>      | 350 LBS             | 400 LBS             | 450 LBS             |

**WARNINGS**

FOR OUTDOOR USE ONLY

POTENTIAL CARBON MONOXIDE HAZARD

Do not store or use flammable liquids in the vicinity of this product

To be installed by licensed plumber or contractor

**TYPICAL CLEARANCES**

10" of clearance from the side elevations of the fire table

84" of clearance from the top surface of the fire table

**NATURAL GAS SUPPLY**

Ensure that the service supplying the fire feature is fitted with a positioned shut off valve that is easily accessible


**SUPPLY PRESSURE**

Minimum - 3.5" WC

Normal - 7.0" WC

Maximum - 14.0" WC (1/2psi)

Check with local inspector if any further specifications are required for permitted installations



**LUMACAST**

3261 National Ave  
San Diego, CA 92113  
t: +1 888 710 1026  
www.lumacast.com

**PROJECT INFORMATION**

PROJECT:  
LUMACAST FIRE TABLE  
ONDA

DESIGNER:  
LUMACAST

**DRAWING INFORMATION**


DRAWING PACKAGE:  
2D SHOP DRAWINGS  
SHEET CONTENTS:  
SPECIFICATIONS

**MORE INFORMATION**




SCAN TO LEARN MORE


AUTHOR AUTHOR  
EGI 04/23



ON.3.1 SIDE SECTION  
SCALE: 1" = 1' - 0"



ON.3.2 PLAN VIEW  
SCALE: 1" = 1' - 0"



ON.3.3 PERSPECTIVE  
SCALE: n/a

- BRASS FNPT X FLARE GAS BALL VALVE: 1/2" STREET ELBOW
- GALVANIZED NIPPLE 3/4" - 1" DEPENDING ON BTU SEE PLUMBER

**PLUMBING HARD LINE**

For successful installation, hardline stub up should be capped off between 1" and 5" off finished floor.

Lumacast White Glove Delivery and Installation can only be done on IPS Piping



**LUMACAST**

3261 National Ave  
San Diego, CA 92113  
t: +1 888 710 1026  
www.lumacast.com

**PROJECT INFORMATION**


PROJECT:  
LUMACAST FIRE TABLE  
ONDA

DESIGNER:  
LUMACAST

**DRAWING INFORMATION**

DRAWING PACKAGE:  
2D SHOP DRAWINGS  
SHEET CONTENTS:  
HARDLINE DIAGRAM

**MORE INFORMATION**



SCAN TO LEARN MORE

|        |        |
|--------|--------|
| AUTHOR | AUTHOR |
| EGI    | 04/23  |

**ON.3**

SHEET NO